

AccuFLO™

AIR CONTROL PANELS



**HIGH & LOW PRESSURE
AIR CONTROL SYSTEMS**

AccuFLO™

Resolve Specialty Products LLC

Phone: 920.470.3774

Fax: 920.735.1700

Email: info@rspspacesaver.com

Intelligent Design

Easy to understand and easy to use. The AccuFlo™ Air Control Panel makes operation in pressure situations a breeze.

Premium Quality

The finest quality metals and components are used in our hand built manufacturing process.

Complete Custom Solutions

We can custom design and manufacture an AccuFlo™ Air Control Panel to fit your specific use.



Designed with a user first approach, the AccuFlo™ Air Control Panel features several key components to aid in the safe and rapid filling of SCBA and SCUBA tanks. Every panel features High Definition graphics which are color coded to speed operation and reduce possibility of user error.

AccuFlo™ Air Control Panels are handcrafted and manufactured using aircraft grade aluminum and high quality pneumatic components such as Noshok glycerin filled gauges, Sherwood high pressure valves and Parker low pressure valves.

While we provide a large number of preconfigured panel options to choose from, custom configuration to suit your needs is never a problem and we will gladly custom design a panel to suit your specific needs. We promise to deliver the right panel for the right situation.

Call Toll Free
888.202.9456

RSP
RESOLVE SPECIALTY
PRODUCTS, LLC

AccuFLO™

Resolve Specialty Products LLC


Phone: 920.470.3774

Fax: 920.735.1700

Email: info@rspspacesaver.com



Color coded High Definition reflective graphics help reduce user error and ensure a rapid tank refill.



Exclusive swing out design allows for easy maintenance access.

Priority Fill Option:

Priority Fill is required for all systems incorporating an onboard air compressor. Priority fill is an automatic hands-free system that directs air flow from the onboard compressor to the SCBA's that are being filled. Once SCBA's have reached the regulated fill pressure, the Priority Fill automatically redirects airflow to the storage banks without turning any valves on the face of the panel. This connection is installed behind the panel and requires no adjustment by the user.

High Intensity LED lighting offers the user a clear view of the operating panel even in dark and hazy



For Pricing and System Quotes

Call Toll Free 888.202.9456

www.rspspacesaver.com



6 Bank Cascade Air Control Panel

Model # APW6-DSS-DHPRC-BAM

Installed Options:

- Up To 6 Bank Air Control
- Dual Fill Station Control
- Dual High Pressure Reel Controls
- Low Pressure Breathing Air Supply Monitor & Alarm
- Dual High Pressure Regulators
- Priority Fill Option


Additional banks and options will be capped off for future expansion if unused.

Not finding exactly what you need? Custom configurations are available in many variations and options!
Contact us for details and pricing.

Dimensions with Housing

Height: 28.50"
Width: 23.50"
Depth: 20.375"
Weight: Approx: 125 lbs.*
**Weight varies by installed options*

1. High Pressure Reel On/Off Valve
2. High Pressure Reel Regulator Gauge
3. High Pressure Reel Regulator
4. Breathing Air Monitoring System
5. Audible Monitor Alarm
6. Cascade Bank Pressure Gauge
7. Cascade Bank On/Off Valve
8. System Refill Gauge
9. System Refill Fitting
10. High Pressure Regulator Gauges
11. High Pressure Regulators
12. SCBA Fill Pressure Gauge
13. SCBA Fill On/Off Valve



Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

6 Bank Cascade Air Control Panel

Model # APV6-DSS-BAS


Installed Options:

- Up To 6 Bank Air Control
- Dual Fill Station Control
- Sample Breathing Air Outlet
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge

2. SCBA Fill On/Off Valve

3. Regulated High Pressure Gauge

4. Sample Breathing Air Outlet

5. Sample Breathing Air On/Off Valve

6. Supply Pressure System Refill

7. System Refill Pressure Gauge

8. SCBA Fill Pressure Regulator

9. Cascade Bank On/Off Valve

10. Cascade Bank Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

6 Bank Cascade Air Control Panel

Model # APV6-LPR


Installed Options:

- Up To 6 Bank Air Control
- Single Fill Station Control
- Low Pressure Reel Control
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. System Refill Pressure Gauge
4. System Refill Fitting
5. Regulated High Pressure Gauge
6. High Pressure Regulator
7. Low Pressure Reel Gauge
8. Low Pressure Shut Off Valve
9. Low Pressure Regulator
10. Cascade Bank On/Off Valve
11. Cascade Bank Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APV4-DSS-BP-DHP


Installed Options:

- Up To 4 Bank Air Control
- Dual Fill Station Control
- Dual High Pressure Regulators
- Booster Pump Isolation Valve
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

**Weight varies by installed options*

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. Regulated High Pressure Gauge
4. SCBA Fill Pressure Regulator
5. Booster Pump Isolation Valve
6. System Refill Fitting
7. System Refill Pressure Gauge
8. Cascade Bank On/Off Valve
9. Cascade Bank Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APV4-DSS-BP-BAM


Installed Options:

- Up to 4 Bank Air Control
- Dual Fill Station control
- Booster Pump Isolation Valve
- Low Pressure Breathing Air Monitor and Alarm
- Dual High Pressure Regulators
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. Regulated High Pressure Gauge
4. SCBA Fill Pressure Regulator
5. Booster Pump Isolation Valve
6. System Refill Fitting
7. System Refill Pressure Gauge
8. Cascade Bank On/Off Valve
9. Cascade Bank Pressure Gauge
10. Low Pressure Supply Audible Alarm
11. Low Pressure Breathing Air Monitoring System

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APV4-DSS-DHPR-DV


Installed Options:

- Up To 4 Bank Air Control
- Dual Fill Station Control
- Dual Rear Mount Pre-Set High Pressure Regulators
- Dual Directional Pressure Valves
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge

2. SCBA Fill On/Off Valve

3. Regulated High Pressure Gauge

4. Directional Pressure Valve

5. System Refill Fitting

6. System Refill Pressure Gauge

7. Cascade Bank On/Off Valve

8. Cascade Bank Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APV4-HPR-LPR


Installed Options:

- Up To 4 Bank Air Control
- High Pressure Reel Control
- Low Pressure Reel Control
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. Regulated High Pressure Gauge
4. SCBA Fill Pressure Regulator
5. Low Pressure Reel On/Off Valve
6. Low Pressure Reel Supply Gauge
7. Low Pressure High Volume Reel Regulator
8. System Refill Fitting
9. System Refill Supply Gauge
10. Cascade Bank On/Off Valve
11. Cascade Bank Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APV4-DLPR


Installed Options:

- Up To 4 Bank Air Control
- High Pressure Reel Control
- Low Pressure Reel Control
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. Regulated High Pressure Gauge
4. SCBA Fill Pressure Regulator
5. Low Pressure Reel On/Off Valve
6. Low Pressure Reel Supply Gauge
7. Low Pressure High Volume Reel Regulator
8. System Refill Fitting
9. System Refill Supply Gauge
10. Cascade Bank On/Off Valve
11. Cascade Bank Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APV4-HPR-LPR-BP-BAS


Installed Options:

- Up To 4 Bank Air Control
- High Pressure Reel Control
- Low Pressure Reel Control
- Priority Fill Option
- **Booster Pump Isolation Valve**
- **Breathing Air Sample Outlet**

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. Regulated High Pressure Gauge
4. SCBA Fill Pressure Regulator
5. Low Pressure Reel On/Off Valve
6. Low Pressure Reel Supply Gauge
7. Low Pressure High Volume Reel Regulator
8. System Refill Fitting
9. System Refill Supply Gauge
10. Cascade Bank On/Off Valve
11. Cascade Bank Pressure Gauge
12. Air Sample On/Off Valve
13. Booster Pump On/Off Valve

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APV4-DSS-HPR-BP-BAS


Installed Options:

- Up To 4 Bank Air Control
- Dual Fill Station control
- High Pressure Reel Control
- Booster Pump Isolation Valve
- Breathing Air Sample Outlet
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. Regulated High Pressure Gauge
4. SCBA Fill Pressure Regulator
5. High Pressure Reel On/Off Valve
6. High Pressure Reel Supply Gauge
7. High Pressure Reel Regulator
8. System Refill Fitting
9. System Refill Pressure Gauge
10. Cascade Bank On/Off Valve
11. Cascade Bank Pressure Gauge
12. Air Sample On/Off Valve
13. Booster Pump On/Off Valve

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APH4-DSS-HPR


Installed Options:

- Up To 4 Bank Air Control
- Dual Fill Station control
- High Pressure Reel Control
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. Regulated High Pressure Gauge
4. SCBA Fill Pressure Regulator
5. High Pressure Reel On/Off Valve
6. High Pressure Reel Supply Gauge
7. High Pressure Reel Supply Regulator
8. System Refill Fitting
9. System Refill Pressure Gauge
10. Cascade Bank On/Off Valve
11. Cascade Bank Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APH4-HPR-LPR


Installed Options:

- Up To 4 Bank Air Control
- High Pressure Reel Control
- Low Pressure Reel Control
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. High Pressure Reel Supply Gauge
4. High Pressure Reel On/Off Valve
5. Regulated High Pressure Gauge
6. High Pressure Regulator
7. Low Pressure Reel On/Off Valve
8. Low Pressure Reel Supply Gauge
9. Low Pressure High Volume Reel Regulator
10. System Refill Fitting
11. System Refill Supply Gauge
12. Cascade Bank On/Off Valve
13. Cascade Bank Supply Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APH4-BP-HPR-LPR


Installed Options:

- Up To 4 Bank Air Control
- High Pressure Reel Control
- Low Pressure Reel Control
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. High Pressure Reel Supply Gauge
4. High Pressure Reel On/Off Valve
5. Regulated High Pressure Gauge
6. High Pressure Regulator
7. Low Pressure Reel On/Off Valve
8. Low Pressure Reel Supply Gauge
9. Low Pressure High Volume Reel Regulator
10. System Refill Fitting
11. System Refill Supply Gauge
12. Cascade Bank On/Off Valve
13. Cascade Bank Supply Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APV4-DSS-BP-DHP


Installed Options:

- Up To 4 Bank Air Control
- Dual Fill Station Control
- Dual High Pressure Regulators
- Booster Pump Isolation Valve
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. Regulated High Pressure Gauge
4. SCBA Fill Pressure Regulator
5. Booster Pump Isolation Valve
6. System Refill Fitting
7. System Refill Pressure Gauge
8. Cascade Bank On/Off Valve
9. Cascade Bank Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APV4-DSS-BP-BAM


Installed Options:

- Up to 4 Bank Air Control
- Dual Fill Station control
- Booster Pump Isolation Valve
- Low Pressure Breathing Air Monitor and Alarm
- Dual High Pressure Regulators
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. Regulated High Pressure Gauge
4. SCBA Fill Pressure Regulator
5. Booster Pump Isolation Valve
6. System Refill Fitting
7. System Refill Pressure Gauge
8. Cascade Bank On/Off Valve
9. Cascade Bank Pressure Gauge
10. Low Pressure Supply Audible Alarm
11. Low Pressure Breathing Air Monitoring System

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APV4-DSS-DHPR-DV


Installed Options:

- Up To 4 Bank Air Control
- Dual Fill Station Control
- Dual Rear Mount Pre-Set High Pressure Regulators
- Dual Directional Pressure Valves
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. Regulated High Pressure Gauge
4. Directional Pressure Valve
5. System Refill Fitting
6. System Refill Pressure Gauge
7. Cascade Bank On/Off Valve
8. Cascade Bank Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options! Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APV4-HPR-LPR


Installed Options:

- Up To 4 Bank Air Control
- High Pressure Reel Control
- Low Pressure Reel Control
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. Regulated High Pressure Gauge
4. SCBA Fill Pressure Regulator
5. Low Pressure Reel On/Off Valve
6. Low Pressure Reel Supply Gauge
7. Low Pressure High Volume Reel Regulator
8. System Refill Fitting
9. System Refill Supply Gauge
10. Cascade Bank On/Off Valve
11. Cascade Bank Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

3 Bank Cascade Air Control Panel

Model # APMV3-HPR-SR


Installed Options:

- Up To 3 Bank Air Control
- High Pressure Reel Control
- System Refill Fitting
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 30.25"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. High Pressure Reel Supply Gauge
4. High Pressure Reel On/Off Valve
5. Regulated High Pressure Gauge
6. Supply Pressure Gauge
7. System Refill Fitting
8. High Pressure Regulator
9. Cascade Bank On/Off Valve
10. Cascade Bank Supply Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APV4-DSS-HPR-BP-BAS


Installed Options:

- Up To 4 Bank Air Control
- Dual Fill Station Control
- High Pressure Reel Control
- Booster Pump Isolation Valve
- Breathing Air Sample Outlet
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. Regulated High Pressure Gauge
4. SCBA Fill Pressure Regulator
5. High Pressure Reel On/Off Valve
6. High Pressure Reel Supply Gauge
7. High Pressure Reel Regulator
8. System Refill Fitting
9. System Refill Pressure Gauge
10. Cascade Bank On/Off Valve
11. Cascade Bank Pressure Gauge
12. Breathing Air Sample Outlet
13. Booster Pump On/Off Valve

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APH4-DSS-HPR


Installed Options:

- Up To 4 Bank Air Control
- Dual Fill Station Control
- High Pressure Reel Control
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. Regulated High Pressure Gauge
4. SCBA Fill Pressure Regulator
5. High Pressure Reel On/Off Valve
6. High Pressure Reel Supply Gauge
7. High Pressure Reel Supply Regulator
8. System Refill Fitting
9. System Refill Pressure Gauge
10. Cascade Bank On/Off Valve
11. Cascade Bank Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

4 Bank Cascade Air Control Panel

Model # APH4-HPR-LPR


Installed Options:

- Up To 4 Bank Air Control
- High Pressure Reel Control
- Low Pressure Reel Control
- Priority Fill Option

Additional banks and options will be capped off for future expansion if unused.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Durable Powder Coat Painted Aluminum Housing
- Stainless Steel Light Shield
- High Visibility LED Light Bar
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service



Dimensions with Housing

Height: 42.75"

Width: 9.75"

Depth: 20.50"

Weight: Approx: 75 lbs.*

*Weight varies by installed options

1. SCBA Fill Gauge
2. SCBA Fill On/Off Valve
3. High Pressure Reel Supply Gauge
4. High Pressure Reel On/Off Valve
5. Regulated High Pressure Gauge
6. High Pressure Regulator
7. Low Pressure Reel On/Off Valve
8. Low Pressure Reel Supply Gauge
9. Low Pressure High Volume Reel Regulator
10. System Refill Fitting
11. System Refill Supply Gauge
12. Cascade Bank On/Off Valve
13. Cascade Bank Supply Pressure Gauge

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

Low Pressure Utility Reel Air Control Panel

Model # APSH-DLPUR-SR

Installed Options:

- **Dual Low Pressure Utility Reel Control**
- **System Refill Fitting**

Dimensions with Housing

Height: 9.00"


Width: 13.00"

Depth: 9.25"

Weight: Approx: 20 lbs.*

**Weight varies by installed options*

1. Low Pressure Regulator
2. Supply Pressure System Refill
3. Supply Pressure Gauge
4. Regulated Pressure Gauge
5. Primary Low Pressure Utility Reel on/Off Valve
6. Secondary Low Pressure Utility Reel On/Off Valve



Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality Low Pressure Parker Valves
- Premium NoShok® liquid glycerin filled gauges
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service

Not finding exactly what you need?
Custom configurations are available
in many variations and options!
Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

Single Bank Fill Station Air Control Panel

Model # APSH-SCBA-SR

Installed Options:

- Single Bank Fill Station Control
- System Refill Fitting

Dimensions with Housing

Height: 9.00"


Width: 13.00"

Depth: 9.25"

Weight: Approx: 20 lbs.*

**Weight varies by installed options*

1. High Pressure Regulator
2. Supply Pressure System Refill
3. Supply Pressure Gauge
4. Regulated Pressure Gauge
5. SCBA Fill On/Off Valve
6. SCBA Pressure Gauge



Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

High Pressure Utility Reel Air Control Panel

Model # APSH-HPUR

Installed Options:

- High Pressure Reel Control
- 6000# Pressure Relief Valve

1. High Pressure Reel On/Off Valve
2. Regulated Pressure Gauge
3. High Pressure Regulator

Dimensions with Housing


Height: 7.6"

Width: 13.00"

Depth: 9.25"

Weight: Approx. 15 lbs.*

**Weight varies by installed options*



Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service

Not finding exactly what you need? Custom configurations are available in many variations and options!

Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

Single Bank Fill Station Air Control Panel

Model # APSH-SS

Installed Options:

- Single Bank Fill Station Control

1. SCBA Fill On/Off Valve
2. Regulated Pressure Gauge
3. High Pressure Regulator

Dimensions with Housing


Height: 7.6"

Width: 13.00"

Depth: 9.25"

Weight: Approx: 15 lbs.*

**Weight varies by installed options*



Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service

Not finding exactly what you need?
Custom configurations are available
in many variations and options!
Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

Low Pressure Utility Reel Air Control Panel

Model # APSH-LPUR

Installed Options:

- **Low Pressure Reel Control**

1. Low Pressure Reel On/Off Valve

2. Regulated Pressure Gauge

3. Low Pressure Regulator

Dimensions with Housing


Height: 7.6"

Width: 13.00"

Depth: 9.25"

Weight: Approx: 15 lbs.*

**Weight varies by installed options*



Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality Low Pressure Parker Valves
- Premium NoShok® liquid glycerin filled gauges
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service

Not finding exactly what you need?
Custom configurations are available
in many variations and options!
Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

Low Pressure Utility Reel Air Control Panel

Model # APSV-LPUR

Installed Options:

- **Low Pressure Reel Control**

Dimensions with Housing

Height: 13.00"

Width: 7.6"

Depth: 9.25"

Weight: Approx: 15 lbs.*

*Weight varies by installed options

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality Low Pressure Parker Valves
- Premium NoShok® liquid glycerin filled gauges
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service

1. Low Pressure Regulator
2. Regulated Pressure Gauge
3. Utility Reel ON/Off Valve



Not finding exactly what you need? Custom configurations are available in many variations and options! Contact us for details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

High Pressure Utility Reel Air Control Panel

Model # APSV-HPUR

Installed Options:

- High Pressure Reel Control

Dimensions with Housing

Height: 13.00"

Width: 7.6"

Depth: 9.25"

Weight: Approx: 15 lbs.*


*Weight varies by installed options

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service

1. High Pressure Reel On/Off Valve
2. Regulated Pressure Gauge
3. Utility Reel On/Off Valve

Not finding exactly what you need? Custom configurations are available in many variations and options! Contact us for details and pricing.



Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com

Single Bank Fill Station Air Control Panel

Model # APSV-SS

Installed Options:

- Single Bank Fill Station Control

Dimensions with Housing

Height: 13.00"

Width: 7.6"

Depth: 9.25"


Weight: Approx: 15 lbs.*

*Weight varies by installed options

Standard Features:

- Intuitive layout using color coded graphics for quick and easy operation
- Aircraft Grade Aluminum Construction
- Quality High Pressure Sherwood Valves
- Premium NoShok® liquid glycerin filled gauges
- Quick-Tilt design allows panel to swing outward from housing for simplified maintenance and service

1. High Pressure Regulator
2. Regulated Pressure Gauge
3. SCBA Fill On/Off Valve



Not finding exactly
what you need?

Custom
configurations are
available in many
variations and
options!

Contact us for
details and pricing.

Email: info@RSPspacesaver.com

Phone: 888.202.9456

Fax: 920.735.1700

Resolve Specialty Products LLC 1865 Bud Drive Menasha WI 54952

www.rspspacesaver.com